

2024 Parts Catalog



SunField LLC
Agricultural Parts



High-quality parts for com-
bines, planters, tractors, and
trailers



www.sunfieldllc.com



SunField LLC
Agricultural Parts

WHO IS SUNFIELD

Sunfield was founded on the principle of manufacturing quality products at an affordable price. Founder, Shane Feng, began his career sourcing products from overseas. He noticed that quality manufacturing was inconsistent and therefore the product had to be cheap to compete. It was while attending Kansas State University that he began to understand that quality in the agriculture market had to be a priority. He began working directly with OEM manufacturers in the States and spent the necessary capital to certify Sunfield's manufacturing facilities to gain ISO 9001, making sure the quality was the priority.

Today Sunfield supplies quality products to both OEM manufacturers and distributors across the United States, farmers who want a better caliber product at a competitive price. At Sunfield we don't want to be the "biggest", we want to be the "best". We believe we can do this with experience, customer service, quality, and integrity.

EXPERIENCE

Sunfield is focused on products for all the major brands like John Deere, Case IH, New Holland, Ford, International, Allis Chalmers, and Kinze. We supply parts for harvesters, planters, and tractors. We are continuously expanding product offering to better serve our customers. We can also work with you on exclusive parts and projects you may need.

CUSTOMER SERVICE

We are committed to delivering an exceptional customer experience that builds strong relationships with our customers. At Sunfield we understand the partnership relationship necessary in running a business and that actions are bigger than words. Simply put, there is nothing more important than our customers.

QUALITY


While our Engineers and Quality Control and team members work tirelessly on product development and process improvements every day, it's really the entire team here at Sunfield that ensures that we are living out our mission day to day. We are committed to meeting or exceeding our customers' requirements by providing quality products on time, and we are dedicated to increasing customer satisfaction through continual improvement of our products, services and quality management system. ISO 9001 certification allows for a consistent framework for quality management and makes doing business with Sunfield easier since we are working within a set of standard practices.

INTEGRITY

Our attitude is to do the right thing. This applies to how we select products, how we go to market, how we treat our employees, and how we treat our customers and suppliers. We strive for perfection in every aspect of the company, and while we know we will have issues from time to time, our commitment to you is that we will do what we can to take care of you.

Table of Contents

Planter Parts	4
Threshing Separation Parts	7
Deck Plates	9
Stock Rolls	10
Sprockets	12
Other Harvesting Parts	20
Agriculture Chain	22
Tractor Parts	36





Gauge Wheel Arm.
W/ Bearing Option

JD: 1530, 1535, 1705, 1725, 1725 NT, 1735, 1755, 1760 NT, 1765, 1765 NT, 1770 NT

Order: # Z22277
OEM: A79648



Gauge Wheel Arm.
Tight Thread Fit

JD: 1530, 1535, 1705, 1725, 1735, 1755, 1760, 1765, 1765 NT, 1770 NT, 1775, 1775 NT

Order: # Z22472
OEM: A92817



Gauge Wheel Arm.

JD: 1565, 1560, 1590, 1690, 1835, 1860, 1890, 1895, 1990,

Order: # 11439
OEM: AA92485



Gauge Wheel Arm, LH Kinze

Kinze: 2700, 3000, 3100, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V,

Order: # Z15200
OEM: GA7975



Gauge Wheel Arm, RH Kinze

Kinze: 1530, 1535, 1705, 1725, 1735, 1755, 1760, 1765, 1765 NT, 1770 NT, 1775, 1775 NT

Order: # Z15201
OEM: GA7976



Gauge Wheel Arm Stop

JD: Replaces Yetter

Order: # 17416
OEM: 2570-790



Walking Pivot Stop Assembly
Includes Stop, Rocker and Bolt

JD: MaxEmerge Plus, Pro, XP, XP Pro, 1530, 1535, also late MaxEmerge

Order: # Z15518
OEM: A62609, A82772, A58670



Closing Wheel Arm, Cast
W/ Bearing Option

JD:

Order: # Z22476
OEM:



Closing Wheel Arm, Cast

JD: 1530, 1535, 1705, 1710, 1715, 1720, 1725, 1725 NT, 1730, 1735, 1745, 1750, 1755, 1760, 1760 NT, 1765, 1765 NT, 1770 NT, 1775, 1775 NT, 1780, 1785, 1790, 1795, DB120, DB37, DB37C, DB41, DB44, DB55, DB55C


Order: # 15474
OEM: A93258



Closing Wheel Arm.
Support Stop

JD: 1530, 1535, 1700, 1705, 1710, 1715, 1720, 1725/NT /C, 1735, 1730, 1735, 1750, 1755, 1760 /NT, 1765/ NT, 1770 /NT, 1775 /NT, 1780, 1785, 1790, 1795

Order: # 15475
OEM: A93256



Head Frame Cast.

JD: MaxEmerge XP, Pro- Series XP

Order: # 15478
OEM: A83257



Lower Shank Cast

JD: MaxEmerge XP, Pro- Series XP

Order: # 15479
OEM: AA62767



Row Unit Mounting Plate

MaxEmerge XP, Pro-Series XP, ExactEmerge

Order: # 15494
OEM: AA40934



Row Unit, Case/NH
UPGRADED

Case: 1200, 1210, 1215, 1220, 1225, 1230, 1235, 1240, 1245, 1250, 1255, 1260, 1265

Order: # 17411
OEM: 84351569



Scraper Kenzie

Kinze: 3000, 3100, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600T, 3600V, 3650

Order: # 11436
OEM: GB0301



Scraper Blade LH/RH

Case-IH: 500,500T
New Holland: P2080, P2085 Precision Disc Drills

Order: # 27004 (LH) 27005 (RH)
OEM: 84580806 (LH) 84580804 (RH)



Scraper for Seed Disc

JD: 1705, 1715, 1725, 1725 CCS, 1725 NT, 1725C, 1735, 1755, 1765, 1765 NT, 1770

Order: # 17425 (LH) 17424 (RH)
OEM: A98183 (LH) A98182 (RH)



Parallel Arm

JD: 1700, 1705, 1710, 1715, 1720, 1725., 1725 NT, 1725C, 1730, 1735, 1750, 1755, 1760, 1760 NT, 1765, 1765 NT, 1770 NT, 1775, 1775 NT, 1780, 1785, 1790, 1795, 7200, 7300, DB120, DB37, DB41, DB44, DB55, DB58, DB60, DB62, DB66, DB74, DB80, DB83, DB88, DB90, DR12, DR16, DR18, DR24, DR8T

Order: #
OEM: P52092

Planter Parts



Drill Boot Cast, RH

JD 750 All-Till Grain Drill, 1850 No-Till Air Drill

Order: # 15182
OEM: N280446



Drill Boot Cast, LH

JD 750 All-Till Grain Drill, 1850 No-Till Air Drill

Order: # 15183
OEM: N280447



Pin

JD Air Drill - 1990, Flex Air Hoe Drill - 1820
Grain Drills - 1560, 1565, 1590

Order: # 11022
OEM: N282536



Seed Boot, RH

JD: 1590 Grain Drill, 1690, 1890, 1895
No-Till Air Drill

Order: # 15184
OEM: N284044



Seed Boot, LH

JD: 1590 Grain Drill, 1690, 1890, 1895
No-Till Air Drill

Order: # 15185
OEM: N284045

Disc / Blade - Various sizes & Styles



Notched Covering Disc Assembly



Steel Disc Opener Assembly

Dust Caps



Poly / Rubber Dust Caps



Stamped Dust Caps /
Various Sizes



Stamped Dust Caps /
Various Sizes

Ask about Tungsten Carbide Coating on Threshing Parts



Threshing Element,
Tungsten Carbide Coated

JD: 9860, 9660

Order: # 15051
OEM: AH216675



Threshing Element,
Tungsten Carbide Coated

JD: 9860, 9660

Order: # 15052
OEM: AA216678



Threshing Element,
Tungsten Carbide Coated

JD: 9860, 9660

Order: # 15451
OEM: AA216674



New Holland Rasp Bar

Case: AFX8010, 1640, 1644, 1660, 1666, 1670,
1680, 1688, 2144, 2166, 2188, 2366, 2377,
2388, 2577, 2588, 5088, 6088, 7010,
7088, 7120, 8010, 8120

Order: # 15482
OEM: 278821A3



Threshing Tine, Tungsten

JD: 9650STS, 9660STS, 9670STS, 9750STS,
9760STS, 9770STS, 9860STS, 9870STS, S650,
S660, S760, S780, S790

Order: # 15453
OEM: AH228817



Hardware

JD: Threshing Elements & Tines

Order: # 24452
OEM: AH228817



JD Tine

JD: 9760STS, 9660STS, 6081HH013,
6081HH012, 6090HH005, 9860STS,
6125HH006, 6125HH003

Order: # Z12018
OEM: AH216018



Feed Accelerator Plate

JD: STS 9650STS, 9660STS, 9750STS,
9760STS, 9860STS

Order: # 12009
OEM: H165407



Feed Accelerator Plate

JD: 9560 STS, 9570 STS, 9650 STS, 9660 STS,
9670 STS, 9750 STS, 9760 STS, 9770 STS,
9860 STS, 9870 STS, S550, S650, S660,
S670, S680, S690

Order: # 12019
OEM: H201914

Threshing Separation Parts



Wear Plate

JD: S660, S670, S670HM (s/n 765000-earlier), S670 STS, S680, S680HM (s/n 765000-earlier), S690HM

Order: # 15473
OEM: H208429



Separate Bar, Hardened

Case IH :1420, 1440, 1460, 1470, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7010, 7088, 7230, 8010, 8120, 8230, 9120, 9230

Order: # 15049
OEM: 1318976C1



Kick Plate Hardened


Case IH: 1480, 1482, 1680, 1682, 1688, 2188, 2377, 2388, 2588, 5088, 5130, 5140, 6088, 6130, 6140, 7010, 7088, 7120, 7130, 7140, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240

Order: # 15428
OEM: 1327676C1

Concaves in various types and sizes. Available for different application to fit John Deere, Case IH, New Holland, Class & others.



Conveyor Roller



Various Types and Sizes Available

Steel, Aluminum & PVC


SunField LLC
Agricultural Parts



Spindle Assembly

JD: 7660, 7760, 9930, 9935, 9960, 9965, 9970, 9976, 9986, 9996, CP690

Order: # SF11147
OEM: AN274216




Spindle

JD: 7660, 7760, 9900, 9910, 9920, 9930, 9935, 9940, 9950, 9960, 9965, 9970, 9976, 9986, 9996, CP690

Order: # SF11132
OEM: N277078



Deck Plates



No.	OEM No.	Application
12003	H154270, H149176	90 Series Heads with or without Hydraulic Adjust. Fits Right Hand or Left Hand Deck Plate on 90 Series Heads without Hydraulic Adjust.
12004	199382C1	All 900 Series and 1000 Series Heads
12005	199381C1	All 900 Series and 1000 Series Heads
12006	AH147773	90 Series Heads with Hydraulic Adjust
12007	H94952	40 Series Heads (ASN 466451)
12008	N102068	40 Series Heads (BSN 466451)
12014	176292C91	All 800 Series Cornheads

≡ Stalk Rolls



Stalk Roll, LH
Tungsten Carbide Coated

JD: 606, 606C, 608, 608C, 612, 612C, 618, 618C, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C

Order: # 15470
OEM: XE110671, HXE41141, HXE28446



Stalk Roll, RH
Tungsten Carbide Coated

JD: 606, 606C, 608, 608C, 612, 612C, 618, 618C, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C

Order: # 15471
OEM: HXE110672, HXE41142, HXE28448



Stalk Roll, LH. Robot weld
hardened edge w/ heat treatment

JD: 243, 244, 343, 344, 443, 444, 492, 493, 494, 543, 546, 592, 594, 643, 644, 645, 692, 693, 694, 843, 892, 893, 894, 1092, 1243, 1290, 1291, 1293 Head

Order: # 15187
OEM: H104091



Stalk Roll, RH. Robot weld
hardened edge w/ heat treatment

JD: 243, 244, 343, 344, 443, 444, 492, 493, 494, 543, 546, 592, 594, 643, 644, 645, 692, 693, 694, 843, 892, 893, 894, 1092, 1243, 1290, 1291, 1293 Head

Order: # 15186
OEM: H104090



Stalk Roll, LH. Robot weld
hardened edge w/ heat treatment

JD: 492, 493, 494, 692, 693, 694, 890, 892, 893, 894, 895, 896, 944, 990, 994, 995, 1092, 1290, 1291, 1293 Head

Order: # 15189
OEM: H150139



Stalk Roll, RH. Robot weld
hardened edge w/ heat treatment

JD: 492, 493, 494, 692, 693, 694, 890, 892, 893, 894, 895, 896, 944, 990, 994, 995, 1092, 1290, 1291, 1293 Head

Order: # 15188
OEM: H150138



Stalk Roll, LH

JD: 40 Series, 493, 494, 693, 893, 90 Series

Order: # 15404
OEM: H150691, H148563



Stalk Roll, RH

JD: 40 Series, 493, 494, 693, 893, 90 Series

Order: # 15405
OEM: H150690, H148562



Stock Roll Knife, Hardened

Case IH, Corn Head 2200 Series, 2400 Series

Order: # 17409
OEM: 86977538, 86977537, 86980057



Spiral Stalk Roll LH/RH

Case IH Corn heads - 2206, 2208, 2212, 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230


Order: # 15406 / 15407
OEM: 87737776 / 87737779



Tube, Stalk Roll

Case- / IH: 2206, 2208, 2212, 2406, 2408, 2412

Order: # Z17419
OEM: 86611127



Scraper for Seed Disc

JD: Nut for JD 600 Stalk Roll

Order: # 24464
OEM: HXE24180



Closing Wheel Arm, Cast

JD: Washer for JD 600 Stalk Roll

Order: # 24465
OEM: HXE24179

≡ Sprockets

ONLY MOQ 50 PCS



Case / IH: 1420, 1440, 1460, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 2144, 2166, 2188

Order: # 18089
OEM: 1970248C1



Case / IH: 7010, 7120, 7230, 7240, 8010, 8120, 8230, 8240, 9120, 9230, 9240, AFX8010

Order: # 18084
OEM: 87283436



Case / IH: 1640, 1660, 1670(s/n 80540 - later), 1680 (s/n 80540 - later), 2366

Order: # 18095
OEM: 1345472C1, 1979808C1



Case / IH Headers: 1043, 1044, 1054, 1063, 1064, 1083, 1084
International Header(s) 943, 944, 954, 963, 964, 984

Order: # 18072
OEM: 199729C1



John Deere 50A Series

Order: # 18079
OEM: AH101340



John Deere 50A Series

Order: # 18109
OEM: AH101339



John Deere S690 STS

Order: # 1874
OEM: HXE22458



Case / IH: 2200 & 2400

Order: # 18102
OEM: 86837081



John Deere STS, S660

Order: # 18083
OEM: H228383



John Deere STS, S660

Order: # 18081
OEM: H228385



Case / IH: 2166, 2144, 1660

Order: # 18092
OEM: 1321531C93



Case / IH: 7120, 7230, 7240, 8120, 8230, 8240, 9120,

Order: # 18500
OEM: 84414915

Other Sprockets

No.	OEM No.	Application
18439	87284914	7010, 8010, 9010, AFX8010
18440	84414915	Case IH® Combines with Rock Trap - 7120, 7230, 7240, 8120, 8230, 8240, 9120, 9230, 9240
18441	87740180, 144031A1, 1319176C1	Lower Clean Grain - 1440 (ASN 30484), 1460 (ASN 33286), 1480, 1620, 5088, 6088, 7088 Lower Return Grain - 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2588, 5088, 6088, 7088

ONLY MOQ 50 PCS

No.	OEM No.	Application
18480	AE58632 AFH205822	John Deere Baler(s) 447, 448, 449, 457, 458, 459, 467, 468, 469, 547, 557, 558, 559, 567, 568, 569
18482	AW25192	SPKT New, Original John Deere OEM Part No. AW25192
18483	H219634	9570STS, 9670STS, 9770STS, 9870STS
18490	AH231386 H233288	600 Series (BSN 745100)
18492	AH232426	9570STS, 6068HH059, 6068HH062, 6068HH061, 6068HH060
18493	H85252	John Deere Header(s) 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 693, 694, 842, 843, 844, 893, 894, 1243, 1293
18066	AH125195	9600 (BSN 645300)
18067	AH125196	9400 (BSN 641500), 9500 (BSN 643900)
18068	106055A2, 87450164, 106055A1	Case IH Grain Platform 1010, 1020
18069	87501858	Case IH Corn Heads 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230
18070	1321167C92	Case IH Combines 1620 (s/n 32630 - later) 1640 (s/n 97103 - earlier) 1660, 1670, 1680 (s/n 115352 - earlier)
18071	HXE37870	John Deere Combine S550 STS, S660 STS
18073	129973A2	Case IH Combine 1020, 2010, 2020, 1010
18075	86524049	Case IH Corn
18076	HXE22459	John Deere Combines - S690, S790 (with Extra High Capacity Chain)
18077	87748377, 86998172, 87108698, 87586562	Case IH Combines - 7010, 7120, 8010, 8120, 9120, AFX8010
18078	182945A1	Case IH COMBINE 2144, 2166, 2188, 2344, 2366, 2388, (SN: < JJC0276540)
18080	199643C1	Case IH Corn Heads 900, 1043, 1044, 1064, 1083, 1084
18082	87283438, 86998052	Case IH Combines - 7010, 7120, 8010, 8120, 9120, AFX8010
18086	1329717C1	Case IH Combines with or without Rock Trap - 1420, 1440, 1460, 1480, 1620, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2344, 2366, 2388 (BSN HAJ0292001)
18087	86999492	Case IH Combines - 7010, 7120, 8010, 8120, 9120, AFX8010
18088	199727C1	Case IH Combine 900 1043 1044 1054 1063 1064 1083 1084
18090	1317412C1	Case IH Combine 1640, 1660, 1670, 1680, 1688, 2144, 2166, 2188, 2366, 2388, 2588
18091	1317192C1	Case IH Combines 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588
18093	192922C1	1420, 1440, 1460, 1470, 1480, 1620, 1640, 1660, 1670, 1680, 2388
18094	87108702, 87283695, 86975916	Case IH Combines - 7010, 7120, 8010, 8120, 9120, AFX8010
18096	192925C1	1440, 1470, 1480, 1620, 1640 (BSN 97103), 1660 (BSN 80540), 1670 (BSN 102896)
18097	N114175	Cotton Pickers - 9900, 9910, 9920, 9930, 9940, 9950, 9960 (Conventional),
18098	87283677, 87731456, 96999488	Case IH Combines - 7010, 7120, 8010, 8120, 9120, AFX8010
18099	86611371	Case IH Cornheads - 2206, 2208, 2212
18100	611887A	Ford New Holland 974 series

ONLY MOQ 50 PCS

No.	OEM No.	Application
18101	188189C1	Case IH 1440, 1460, 1480
18103	129967A1, 87035837, 87450165	Case IH Grain Tables 1010, 1020, 2010, 2020, Ford New Holland Grain Tables 72C, 74C
18104	86627639	Case IH Combines - 5088, 6088, 7010, 7088, 7120, 8010, 8120, 9120, AFX8010, Ford New Holland Combines - CR920, CR940, CR960, CR970, CR9040, CR9060, CR9070, CX840, CX860, CX880, CX8070, CX8080, CX8080, CX8090
18105	87283101	Case IH Combines - 7010, 7120, 8010, 8120, 9120, AFX8010 (BSN HAJ105101)
18106	125990A1	Cutting Platform 1010, 1020
18107	168149C2	Case IH Combine 1440, 1460, 815, 915
18108	87283939	Case IH Corn Heads 240630, 240636, 240638, 240670, 240822, 240830, 240836, 240838, 240870, 241220, 241222, 241230
18164	766379, 618705, 687671, 80766379	New Holland TR75 (ASN304699), TR85 (ASN307999), TR86, TR95, TR96, TR97, TR98, TR99
18165	766380, 618707, 687673, 763652, 80766380	New Holland TR75 (ASN304699), TR85 (ASN307999), TR86, TR95, TR96, TR97, TR98, TR99
18166	71357768	Gleaner Combine N5, N6, N7, R40, R42, R5 (s/n 8001 - later), R50, R52, R6 (s/n 10301 - later) R60, R62, R7 (s/n 7001 - 8700) R70, R72 White Combine 2500, 2600
18167	1321039C1	Case IH Combines 1660 (incline elevator) 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588
18168	1329719C2, 1329719C1	International Combines 1420, 1440, 1460, 1480 Case IH Combines 1620 (s/n JJC0032630 - later) 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388
18169	1329720C2, 1329720C1	International Combines 1420, 1440, 1460, 1480 (All With or Without Rock Trap) Case IH Combines 1620, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388 (All With or Without Rock Trap) 2577, 2588 (All With Rock Trap)
18171	168683C1, SP116, SP116H	Case IH Combines 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 815, 914, 915 International Combines 1420, 1440, 1460, 1470, 1480, 1482
18172	192139C2	International Combines 1440, 1460, 1470, 1480, 1482 Case IH Combines 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388
18173	296023A1	Case IH Combines 2366 (s/n JJC184544 - later) 2377 (s/n HAJ0292001-later) 2388 (s/n JJC0198068 - JJC0276540 / HAJ0292001 - later) 2577, 2588
18174	H108576	John Deere Combine(s) 6600 (s/n 3701-later), 6601, 6602, 6620, 6622, 7700 (s/n 2801-later), 7701, 7720, 7721, 8820
18175	H121435, H94168	John Deere Combine(s) 3300, 4400, 4420
18176	H133143	John Deere Combine(s) CTS (II), 9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9640, 9650, 9660, 9750, 9860, 9880
18177	H159615	John Deere Combines 9650, 9660, 9750, 9760, 9860, STS

ONLY MOQ 50 PCS

No.	OEM No.	Application
18178	H227474	John Deere Combines S660STS, S670, S670STS, S680STS, S685STS, S690, S690STS, 9670STS, 9770STS, 9870
18180	H63578	John Deere Combines 3300, 4400, 4420, 6600 (From S/N 3701), 6601, 6602, 6620, 6622, 7700 (From S/N 2801), 7701, 7720, 7721
18199	H134603	John Deere 9500, 9400, 9600, CTS, 9410, 9510, 9610, CTS II, 9450, 9550, 9650
18200	143960A1	Case IH 2188, 2388
18201	H128576	John Deere 9501, 2054, 2056, 2058, 2254, 2256, 2258, 2264, 2266, CTS
18202	H164796	John Deere 9650 CTS, 9650 STS, CTS, 9780 CTS, C670, W540, W550, W650, W660, T550, T660, T670, S660, S680, S690, S685, 9660 CTS, S550, S670, S540
18203	1302200C1	Case IH
18204	H159613	John Deere 9410, 9510, CTS II, 6450, 9550, CTS, 9650, W540, W550, W650, W660, T550, T560, T660, T670, 9560, 9660, 9660 CTS
18205	H159616	John Deere 9650 STS, 9860 STS, 9880 STS, 9750 STS, 9570 STS, S550, S540, S560, S690
18206	H159614	John Deere 9410, 9510, CTS II, 9450, 9550, CTS, 9780, 9640 WTS, C670, W540, W550, W660, T550, T560, T660, 9560, 9660, 9660 CTS
18209	44316	New Holland
18210	49842	Case IH, New Holland 770W, 737, 827, 616, 830, 727, 790W, 626, 890WP, 636, 717S, 821, 728
18211	66607	New Holland 907, 905, 1495, 903, 1469, 1100
18212	66614	Case IH, New Holland 345W, 366W, FX25, 355W, FX45, 346W, 365W, 356W, 907, 1499, 905, 1496, 909, 1495, 903, 1100, 654, BR780, BR7080, BR770A, 660, 850, 678, 688, 858, BR7070, 640, 2000, 648, 855, BR7050, BR750, 650, BR740, 658, BR730A, BR7090, BR750A, BR740A, BR780A, 580, BR7060, 644, 664, TR98, TR97, TR99, TR89, 357
18213	75984	Henderson
18214	76529	Case IH 1845, 1845B, 1845C, 1845S
18216	122397	Case IH, New Holland 717, 790, 892, 718, S717, 782
18217	136540	Case IH, New Holland 27P, 880W, 29P, 990W
18218	142126	Case IH, New Holland 890, 892, 782, 770, 1037, 1038, 1036, 150, 509-SERIES, 520-SERIES, 354, 357, 351, 350, 353, 352
18219	142389	Case IH, New Holland 340, 351, 352
18220	143760	Case IH, New Holland 939N3, 27P, 360N4, 14-44, 29P, 939N4, 919N3, 919R3, 919N4, 919R4, 939R3, 360N6, 3PN, 360N3, 1895N4, 1880S, 939R4, 14-43, 1895R4, 890R3, 939N5, 990W, 890N3, 360W5, 919N6, 585
18221	144463	New Holland 14-44, 488, 490, 1495, 479, 1469, 1100
18222	144523	New Holland 488, 490, 1495, 479, 1469
18223	166599	New Holland 8
18224	179965	New Holland 790, 782, 770
18225	185667	New Holland 355, 354, 357, 352
18226	187452	New Holland 354, 353, 352
18227	216583	Case IH, New Holland 478, 477, 472
18228	216584	Case IH, New Holland 478, 477, 472
18229	225679	New Holland 1600, 890, 892, 900
18230	249879	New Holland L445, L225, L425
18231	266399	New Holland
18232	285969	New Holland 478, 477, 472
18233	435243	Case IH Skid Loaders 1835C, 1838, 1840

ONLY MOQ 50 PCS

No.	OEM No.	Application
18234	435258	Case IH Skid Loaders 1835C, 1838, 1840
18235	511918	New Holland 1024, 1030, 1964-SERIES, 2M, 1963-SERIES, 354, 357
18236	519961	New Holland 1068, 1069, 1075, BW38, 1095, 1063, 1037, 1038, 1049, 1049-SUPER, 1048, 1085, 1089, 1048-SUPER, 1065, H9870, 1078, BW28, 1036, 1079, H9880
18237	572734	New Holland 722R, 822, 824
18238	572736	Case IH, New Holland 722R, 822, 824
18239	606801	Case IH, New Holland
18240	608384	New Holland L455, L451, L452, L454
18241	608386	New Holland L455, L451, L452, L454
18242	611888	New Holland 974N8, 974N4, 974W4, 974N6, 974W8, 974W6, 974W5,
18243	627384	New Holland 790, 782
18244	632351	New Holland L785, L784, L781, L783
18245	633395	New Holland FP240, FP230, 900
18246	633399	Case IH, New Holland FP240, FP230, 900
18247	634720	New Holland 795, 190, 195S
18248	644466	Case IH, New Holland 824
18249	648108	New Holland 795, 190, 195S
18250	648348	New Holland 795, 190, 195S
18251	677348	New Holland
18252	700394	New Holland Swather 1118
18253	705863	New Holland 1895A, 1890, 890A, 585, BB900
18254	716163	New Holland 790, 782
18255	762200	New Holland 304, 306, 305, 302
18256	769586	New Holland
18257	787969	New Holland 585, 515, BB900, 505
18258	792644	New Holland 790W, 890WP
18259	859106	New Holland 900
18260	1020761	Case IH
18261	9608242	Case IH, New Holland BR730, BR7050, 638, BR730A, 634, 630
18262	9615268	New Holland 360N4, 360N6, 3PN, 360N3, 360W5
18263	9621855	New Holland 360N4, 360N3
18264	9621903	Case IH, New Holland BR780, BR7080, BR770A, 660, BR7070, 640, BR750, 650, BR740,
18265	9622073	New Holland 350W, 340W
18266	9801459	Case IH, New Holland
18267	9801470	Case, New Holland 565, 568
18268	9801474	Case IH, New Holland
18269	9802839	New Holland 360N6, FX25, FX45, 360W5, 340W
18270	9806732	New Holland
18271	9808548	New Holland
18272	9819016	Case IH, New Holland CX8070, CX860, CR970, TX66, CR9060, CX8090, TX68, CR9070, CR960, CR940, CR9040, CX840, CR920, CX880, CX8080
18273	9822643	Case, New Holland BR730, BR7050, 638, BR730A, 634, 630
18274	9827863	New Holland 360N MAIZHEADER
18275	9828097	New Holland 360N4, 360N6, 3PN, 360N3, 360W5
18276	9845378	Case IH, New Holland
18277	71393260	AGCO Challenger
18278	71399511	AGCO Challenger
18279	80518326	New Holland

ONLY MOQ 50 PCS

No.	OEM No.	Application
18280	84069677	Case IH, New Holland CX8070, CX860, CR970, CR9060, CX8090, CR9070, CR960, CR940, CR9040, CX840, CR920, CX880, CX8080
18281	84133372	Case IH, New Holland
18282	84133373	Case IH, New Holland
18283	84133375	Case IH, New Holland
18284	84133376	Case IH, New Holland
18285	84133377	Case IH, New Holland
18286	84133378	Case IH, New Holland
18287	84176439	Case IH, New Holland Cutting Platform: Case 3020, NH 740CF
18288	84234636	Case IH, New Holland
18289	84241587	Case IH
18290	84250182	Case IH, New Holland
18291	84308147	Case IH
18292	84345679	Case IH
18293	84373834	Case IH
18294	84376918	Case IH, New Holland
18295	84398912	Case IH
18296	84401598	Case IH, New Holland
18297	84416055	Case IH, New Holland
18298	84484650	Case IH, New Holland
18299	86505805	Case IH, New Holland
18300	86506866	New Holland 585, BB900
18301	86512740	New Holland 345W, 350W, 355W, 365W, 340W
18302	86519493	New Holland
18303	86524048	Case IH, New Holland 96C436, 996N12, 996N4, 996R8-70CM, 96C430, 996N8, 996W8, 996W4
18304	86528392	New Holland 360N6, 360W5
18305	86533386	New Holland 345W, 355W, 365W
18306	86536073	New Holland 660, 678, 688, 664
18309	86538997	New Holland TN55D, TN65D, TN65S, TN75S, TN55S, TN75D
18310	86539632	New Holland 585, BB900
18311	86543147	New Holland 678, 688, 648, 658
18307	86536076	Case IH, New Holland 654, 678, 640, 648, 650, 658, 644
18308	86536128	New Holland 1890E3, 890E2, 890EN2, 1890EN3, 654, BR780, BR7080, BR770A, BR730, 660, 678, 688, 640, 648, BR7050, 650, BR740, 658, 638, BR730A, BR7090, 634, BR740A, 630, BR780A, BR7060, 644, 664, 974N8, 974N4, 974W4, 974N6, 974W8, 974W6, 974W5, 974W6-40, 960
18312	86543362	New Holland 648, 658
18313	86543364	New Holland 648, 658
18314	86543379	New Holland 648, 658
18315	86548164	Case IH, New Holland 366W, 346W, 356W
18316	86568225	New Holland TR99, TR89
18317	86570459	Case IH, New Holland 27P
18318	86570460	Case IH, New Holland 27P
18319	86570462	Case IH, New Holland 27P
18320	86575316	Case IH, New Holland
18321	86575620	New Holland FP240, FP230
18322	86581067	New Holland BB900

Sprockets

ONLY MOQ 50 PCS

No.	OEM No.	Application
18323	86581380	Case IH, New Holland 648, 658
18324	86581752	New Holland BB900
18325	86581753	New Holland BB900
18326	86589105	Case IH, New Holland 2200H, 2300H
18327	86593560	New Holland Windrow Invertor 166
18329	86596207	Case IH, New Holland 12HS, 14HS, 18HS, 2300H, 16HS
18330	86603270	New Holland CR970, CR9060, CR9070, CR960, CR940, CR9040, CR920
18331	86605224	New Holland 648
18332	86611314	Case IH, New Holland 750HD, 2358, 2355
18333	86614231	Case IH, New Holland 98D0836, 98D0830, 98D0636, 98D0630, 98D1220, 98D1230,
18334	86614233	New Holland 98D0836, 98D0830, 98D0636, 98D0630, 98D1220, 98D1230, 98D1222, 98D0822
18335	86616521	New Holland BB900
18336	86618320	New Holland BB900
18337	86620746	Case IH, New Holland 750HD, 2358
18338	86626477	New Holland BR780, BR7070, BR750, BR740, BR7090, BR750A, BR740A, BR780A, BR7060
18339	86630312	Case IH, New Holland
18340	86633220	Case IH, New Holland 14HSSPL
18341	86837912	New Holland 345W, 366W, 355W, 346W, 356W
18342	86900480	New Holland 12HS, 14HSSPL, 18HS, 16HS
18343	86974239	New Holland CR970, CR9060, CR9070, CR960, CR940, CR9040, CR920
18344	87011708	Case IH, New Holland CR970, CR9060, CR9070, CR960, CR940, CR9040, CR920
18345	87016101	Case IH, New Holland 366W, 346W, 356W
18346	87025355	Case IH, New Holland
18347	87037892	Case IH, New Holland BR7070, BR7090, BR750A, BR740A, BR780A, BR7060
18348	87047645	Case IH, New Holland
18350	87445452	Case IH
18351	87525825	Case IH
18354	87553097	New Holland 12HS, 14HSSPL, 18HS, 16HS
18355	87577638	New Holland CR9060, CR9070, CR9040
18357	87641160	Case IH, New Holland BR7070, BR7060
18358	87656795	Case IH, New Holland
18352	87525831	Case IH, New Holland
18361	1270109C1	Case IH
18362	1316916C2	Case IH, New Holland
18363	1338458C1	Case IH
18364	1338460C1	Case IH Construction
18365	1347319C1	Case IH 1640s/n JJC0034705-later, 1660s/n JJC0038346-later, 1680s/n JJC0115352-later
18366	158418C1	Case IH
18367	192511C2	Case IH 1420, 1440, 1460, 1470, 1480
18368	176340C1	Case IH 1043, 1044, 1054, 1063, 1064, 1083, 1084
18371	H86128	John Deere Combines 6600 (9s/n 105801-later), 6601, 6602, 7700 (s/n 111901-later), 7701
18372	AH125080	John Deere Combines CTS, CTSII, 9400, 9410, 9450, 9500, 9500 SH, 9501, 9510, 9510 SH, 9550, 9550 SH, 9560, 9560 SH, 9560 STS, 9570, 9570 STS, 9600, 9610, 9640, 9650, 9650 CTS, 9650 STS, 9660, 9660 CTS, 9660 STS, 9670 STS, 9750 STS, 9760 STS, 9770 STS

ONLY MOQ 50 PCS

No.	OEM No.	Application
18375	1306156C1	Case IH Corn Head 964, 983, 984, 1064, 1083, 1084
18382	541857R92	Case IH Combine 1420, 1440, 1460, 1480, 1620, 1640, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388
18383	IS501712	John Deere AN10225, Case F78573, New Holland 216850
18397	AH147557	John Deere Combine 9560STS, 9570STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S550, S650, S660, S670, S670HM, S680, S690
18399	71365825	Gleaner Combine R42, R52, R60, R62, R70, R72
18401	AH126008	John Deere Combine 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550,
18402	H177988	John Deere Combine CTS, CTS II, 9400, 9410, 9500, 9510, 9560, 9570, 9600, 9610, 9650, 9660, 9670, 9750, 9760, 9770, 9860, 9870
18411	AH121046	John Deere Combine CTS, CTS II, C670, T550, T560, T660, W540, W550, W650, W660, 9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9640, 9650, 9660, 9680, 9780
18412	1306352C1	Case Ih Corn Head 1054, 1063, 900 Series
18413	AH92689	John Deere Combine 7720, 7721, 8820
18418	IS501758	Massey Ferguson, 833491M1
18420	71158564	Gleaner Combine F2, F3, K2, L, L2, L2 Rice, L3, M, M2, M2 Rice, M3, MH, MH2, MH3
18423	AH215152	John Deere Combine 9560STS, 9570STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS
18425	87324981	CASE IH Combine 7088, 2688, 2799, 2166-2388
18426	H118583	John Deere Combine 6600, 6620, 6621, 7700, 7720, 7721, 8820, 9400, 9500, 9600, CTS
18439	87284914	7010, 8010, 9010, AFX8010
18440	84414915	Case IH® Combines with Rock Trap - 7120, 7230, 7240, 8120, 8230, 8240, 9120, 9230,
18441	87740180, 1 44031A1,	Lower Clean Grain - 1440 (ASN 30484), 1460 (ASN 33286), 1480, 1620, 5088, 6088, 7088 Lower Return Grain - 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2588, 5088, 6088, 7088
18480	AE58632/AFH 205822	Fits John Deere Baler(s) 447, 448, 449, 457, 458, 459, 467, 468, 469, 547, 557, 558, 559, 567, 568, 569
18482	AW25192	SPKT New, Original John Deere OEM Part No. AW25192
18483	H219634	9570STS, 9670STS, 9770STS, 9870STS
18490	AH231386/H2 33288	600 Series (BSN 745100)
18492	AH232426	9570STS, 6068HH059, 6068HH062, 6068HH061, 6068HH060
18493	H85252	Fits John Deere Header(s) 243, 244, 343, 344, 443, 444, 493, 494, 543, 546, 594, 642, 643, 644, 645, 693, 694, 842, 843, 844, 893, 894, 1243, 1293



SunField LLC
Agricultural Parts



Premium Products for the Ag Industry



Other Harvesting Parts



Beveled Gear

Case IH Combine 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2577, 2588, 5088, 6088

Order: # 20127
OEM: 194194C1



Beveled Gear

Case IH Combine 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388

Order: # 20126
OEM: 191677C1



Beveled Gear

JD Combine 3300, 4400, 4420, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, CTS, CTS II

Order: # 20128
OEM: H137215



Gathering Chain Guide, LH

JD - Corn Head Parts: 606, 606C, 608, 608C, 612, 612C, 612FC, 616, 616C, 618, 618C, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C, C12F, C12R, C16F, C16R, C18F, C18R,

Order: # 17429
OEM: HXE111174



Gathering Chain Guide, RH

JD - Corn Head Parts: 606, 606C, 608, 608C, 612, 612C, 612FC, 616, 616C, 618, 618C, 706C, 708C, 708FC, 712C, 712FC, 716C, 718C, C12F, C12R, C16F, C16R, C18F, C18R,

Order: # 17430
OEM: HXE111175



Bracket

CNH Corn Head 220630, 220636, 220638, 220822, 220830, 220836, 220838, 221220, 221222, 221230, 240630, 240636, 240638,

Order: # 15408
OEM: 86611369



Rotor Bar

Case IH Combine 1420, 1440, 1460, 1480, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388

Order: # 12013
OEM: 1302103C1



Channel Slotted Grate

Case IH Combine 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1680, 1682, 2144, 2166, 2188, 2344, 2366, 2388

Order: # 12010
OEM: 191536C1



Slat, Casting

JD Combines 9670STS, 9770STS, 9870STS, S660, S670, S680, S690, S760, S770, S780, S785, S790

Order: # 15427
OEM: HXE24328



Skid Plate

JD - Draper Head: 630FD, 635FD, 640FD, 645FD

Order: # 15475
OEM: HXE10575



Coupler

Case IH Combine 2344, 2366, 2388, 2588

Order: # 20129
OEM: 248600A1



Knife Sharpening Stone

JD: 3940, 3950, 3955, 3960, 3970, 3975. 5000 w/ factory Dura-drum cutter head


Order: #
OEM: AE46064

Chopper Blade

Various Styles & Sizes



≡ Agricultural Chain



Components



Riveted-Type



Cotter-Type

Pin Link

Consists of two pins and two pin link plates. The pins are press fitted to both plates & riveted after assembly.

Pin Link (cotter pin)

Consists of two pins and two pin link plates. The pin are press fitted to both plates. One end of each pin is riveted and the other end is supplied with cotter pins.



Roller Link

Consists of two bushings press fitted to each of the link plates and two rollers. Just enough clearance is provided for the rollers to run freely over the bushings. The same roller links are used for both single and multiple strand chains.

**Chrome
Pin
Available**

Connecting Link



Cotter Pin Type

For chains of 3/4" pitch and larger. Similar to the pin link except that the detachable plate is slip-fitted to the pins and retained by cotter pins



Spring Clip Type

For chains of 3/4" pitch and smaller. Similar to the pin link, except that the detachable plate is slip-fitted to the pins and retained by a spring clip.

Offset Link





Single-Pitch

Consists of two offset link plates, one special pin, one bushing and one roller. The pin is slip-fitted and retained by a cotter pin.




Two-Pitch Offset

Consists of a single pitch offset link and a roller link assembled together and riveted. The pin is press fitted to the offset link plated. (Assembly press fit type for single chain only)





6) CHAIN NO.	Pitch × Width		Poller	Links				Pin				Transverse Pitch	average ultimate strength kfg	approx weight kg/m
	p × w		Dia.	Height		Thickness		Dia.	Lengths					
	inch	m/m	R	H1	H2	T1	T2	D	F	G	G1			
05B-1	0.315×0.118	8.00×3.00	5	7	7	0.75	0.75	2.3	3.85	4.8	-	-	600	0.16
05B-2	0.315×0.118	8.00×3.00	5	7	7	0.75	0.75	2.3	6.65	7.64	-	5.64	1200	0.3
06B-1	0.375×0.225	9.525×5.72	6.35	8.1	8.1	1	1.25	3.28	6.1	7.4	-	-	1050	0.39
06B-2	0.375×0.225	9.525×5.72	6.35	8.1	8.1	1	1.25	3.28	11.2	12.3	-	10.24	1900	0.74
06B-3	0.375×0.225	9.525×5.72	6.35	8.1	8.1	1	1.25	3.28	16.3	17.4	17.8	10.24	2700	1.09
08B-1	0.5×0.305	12.70×7.75	8.51	10.2	11.8	1.5	1.5	4.44	8.2	9.5	-	-	1850	0.65
08B-2	0.5×0.305	12.70×7.75	8.51	10.2	11.8	1.5	1.5	4.44	15.3	16.7	-	13.92	3600	1.3
08B-3	0.5×0.305	12.70×7.75	8.51	10.2	11.8	1.5	1.5	4.44	22.2	23.5	23.8	13.92	4500	1.92
10B-1	0.625×0.38	15.875×9.65	10.2	13	14.6	1.65	1.65	5.06	9.6	11.1	-	-	2700	0.92
10B-2	0.625×0.38	15.875×9.65	10.2	13	14.6	1.65	1.65	5.06	17.9	19.4	-	16.59	5400	1.68
10B-3	0.625×0.38	15.875×9.65	10.2	13	14.6	1.65	1.65	5.06	26.2	27.5	28.2	16.59	8100	2.62
12B-1	0.75×0.46	19.05×11.68	12.1	16	16	1.8	1.8	5.67	11.1	12.6	-	-	3300	1.24
12B-2	0.75×0.46	19.05×11.68	12.1	16	16	1.8	1.8	5.67	20.8	22.4	-	19.46	6600	2.28
12B-3	0.75×0.46	19.05×11.68	12.1	16	16	1.8	1.8	5.67	30.6	31.9	32.5	19.46	9900	3.55
16B-1	1×0.67	25.4×17.02	15.9	20.8	20.8	3.2	4	8.27	17.7	19.3	20.2	-	7800	2.65
16B-2	1×0.67	25.4×17.02	15.9	20.8	20.8	3.2	4	8.27	33.6	35.2	36.2	31.88	15600	5.25
16B-3	1×0.67	25.4×17.02	15.9	20.8	20.8	3.2	4	8.27	49.6	51.1	52.1	31.88	23400	7.86
20B-1	1.25×0.77	31.75×19.56	19.1	26	26	3.5	4.5	10.2	20.5	-	23.5	-	10500	3.85
20B-2	1.25×0.77	31.75×19.56	19.1	26	26	3.5	4.5	10.2	38.7	-	41.7	36.45	19900	7.65
20B-3	1.25×0.77	31.75×19.56	19.1	26	26	3.5	4.5	10.2	57	-	60	36.45	29300	11.45
24B-1	1.5×1	38.10×25.40	25.4	33	33	5.2	6	14.6	26.7	-	32.4	-	18700	7.6
24B-2	1.5×1	38.10×25.40	25.4	33	33	5.2	6	14.6	50.8	-	56.5	48.36	35650	14.8
24B-3	1.5×1	38.10×25.40	25.4	33	33	5.2	6	14.6	75	-	80.7	48.36	52600	21.9

Roller Chain - ANSI Standard



ISO chain NO.	ANSI chain NO.	Pitch	Roller Diameter	Width Between Inner Plates	Bearing Pin Body Diameter	Width Over Bearing Pins	Width Over Connecting Pins	Inner Plates Depth	Transverse Pitch	ultimate tensile strength	weight per meter
		p	d1 max	b1 min	d2 max	L max	Lc max	h2 max	P1	Q min	q
		mm	mm	mm	mm	mm	mm	mm	mm	kN	kg/m
04C-1	25	6.35	3.3	3.18	2.31	7.9	8.4	6.02	/	3.5	0.14
06C-1	35	9.53	5.08	4.77	3.58	12.4	13.17	8.7	/	7.9	0.33
085-1	41	12.7	7.77	6.25	3.58	13.75	15	9.91	/	6.67	0.41
08A-1	40	12.7	7.95	7.85	3.96	16.6	17.8	12	/	13.8	0.62
10A-1	50	15.9	10.16	9.4	5.08	20.9	22.2	15.09	/	21.8	1.02
12A-1	60	19.1	11.91	12.57	5.94	25.9	28.3	18	/	31.1	1.5
16A-1	80	25.4	15.88	15.75	7.92	32.7	36.5	24	/	55.6	2.6
20A-1	100	31.8	19.05	18.9	9.53	40.4	44.7	30	/	86.7	3.91
24A-1	120	38.1	22.23	25.22	11.1	50.3	54.3	35.7	/	124.6	5.62
28A-1	140	44.5	25.4	25.22	12.7	54.4	59	41	/	169	7.5
32A-1	160	50.8	28.58	31.55	14.27	64.8	69.6	47.8	/	222.4	10.1
36A-1	180	57.2	35.71	35.48	17.46	73.9	83	53.6	/	280.2	13.45
40A-1	200	63.5	39.68	37.85	19.85	80.3	90.5	60	/	347	16.15
48A-1	240	76.2	47.63	47.35	23.81	95.5	105.5	72.39	/	500.4	23.2
04C-2	25-2	6.35	3.3	3.18	2.31	14.5	15	6.02	8.4	7	0.28
06C-2	35-2	9.53	5.08	4.77	3.58	22.5	23.3	8.7	10.13	15.8	0.63
08A-2	40-2	12.7	7.95	7.85	3.96	31	32.2	12	14.38	27.6	1.12
10A-2	50-2	15.9	10.16	9.4	5.08	38.9	40.4	15.09	18.11	43.6	2
12A-2	60-2	19.1	11.91	12.57	5.94	48.8	51.1	18	22.78	62.3	2.92
16A-2	80-2	25.4	15.88	15.75	7.92	62.7	65.8	24	29.29	111.2	5.15
20A-2	100-2	31.8	19.05	18.9	9.53	76.4	80.5	30	35.76	173.5	7.8
24A-2	120-2	38.1	22.23	25.22	11.1	95.8	99.7	35.7	45.44	249.1	11.7
28A-2	140-2	44.5	25.4	25.22	12.7	103.3	107.9	41	48.87	338.1	15.14
32A-2	160-2	50.8	28.58	31.55	14.27	124.2	128.1	47.8	58.55	444.8	20.14
36A-2	180-2	57.2	35.71	35.48	17.46	140	149.1	53.6	65.84	550.5	29.22
40A-2	200-2	63.5	39.68	37.85	19.85	151.9	162.1	60	71.55	639.9	32.24
48A-2	240-2	76.2	47.63	47.35	23.81	183.4	193.8	72.39	87.83	1000.8	45.23
06A-3	40-3	12.7	7.955.08	7.85	3.96	45.4	46.6	12	14.38	41.4	1.9
10A-3	50-3	15.9	10.16	9.4	5.08	57	58.5	15.09	18.11	65.4	3.09
12A-3	60-3	19.1	11.91	12.57	5.94	71.5	73.9	18	22.78	93.4	4.54
16A-3	80-3	25.4	15.88	15.75	7.92	91.7	95.1	24	29.29	166.8	7.89
20A-3	100-3	31.8	19.05	18.9	9.53	112.2	116.3	30	35.76	260.2	11.77
24A-3	120-3	38.1	22.23	25.22	11.1	141.3	147.9	35.7	45.44	373.7	17.53
28A-3	140-3	44.5	25.4	25.22	12.7	152.2	156.9	41	48.87	507.1	22.2
32A-3	160-3	50.8	28.58	31.55	14.27	182.8	190.8	47.8	58.55	567.2	20.03
36A-3	180-3	57.2	35.71	35.48	17.46	206	215.1	53.6	65.84	840.7	38.22
40A-3	200-3	63.5	39.68	37.85	19.85	223.5	233.7	60	71.55	1040.9	49.03
48A-3	240-3	76.2	47.63	47.35	23.81	271.3	281.8	72.39	87.83	1501.3	71.6




BS/DIN STAINLESS STEEL SUS 304


6) CHAIN NO.	Pitch × Width		Poller	Links				Pin			average ultimate strength kgf	approx weight kg/ m
	p × w		Dia.	Height		Thickness		Dia.	Lengths			
	inch	m/m	R	H1	H2	T1	T2	D	F	G		
06BSS	0.375×0.225	9.525×5.72	6.35	8.1	8.1	1	1.25	3.28	6.1	7.4	27	0.39
08BSS	0.5×0.305	12.70×7.75	8.51	10.2	11.8	1.5	1.5	4.44	8.2	9.5	45	0.65
10BSS	0.625×0.38	15.875×9.65	10.16	13	14.6	1.65	1.65	5.06	9.6	11.1	70	0.92
12BSS	0.75×0.46	19.05×11.68	12.07	16	16	1.8	1.8	5.67	11.1	12.6	110	1.24

ANSI STAINLESS STEEL SUS 304


6) CHAIN NO.	Pitch × Width		Poller	Links				Pin			average ultimate strength kgf	approx weight kg/ m
	p × w		Dia.	Height		Thickness		Dia.	Lengths			
	inch	m/m	R	H1	H2	T1	T2	D	F	G		
35SS	3/8×3/16	9.525×4.78	5.08	7.6	9	1.2	1.2	3.59	5.8	7	27	0.33
40SS	1/2×5/16	12.70×7.95	7.92	10.2	11.8	1.5	1.5	3.96	8.25	9.3	45	0.63
50SS	5/8×3/8	15.875×9.53	10.16	13	14.8	2	2	5.06	10.1	11.65	70	1.01
60SS	3/4×1/2	19.05×12.70	11.91	15.5	17.5	2.4	2.4	5.95	12.5	14.15	110	1.44
C2040SS	1×5/16	25.40×7.95	7.92	11.7	11.7	1.5	1.5	3.96	8.25	9.3	45	0.5
A2040SS	1×5/16	25.40×7.95	7.92	11.7	11.7	1.5	1.5	3.96	8.25	9.3	45	0.4
C2050SS	1-1/4×3/8	31.75×9.53	10.16	14.6	14.6	2	2	5.06	10.1	11.65	70	0.84
A2050SS	1-1/4×3/8	31.75×9.53	10.16	14.6	14.6	2	2	5.06	10.1	11.65	70	0.66
C2060SS	1-1/2×1/2	38.10×12.70	11.91	17.1	17.1	2.4	2.4	5.95	12.5	14.15	110	1.45



ISO chain No.	pitch P	roller dia d1(max)	width be- tween inner plates b1 (min)	plate depth	pin dia d2	pin length b2	breaking load Q (min)
	mm	mm	mm	hmm	mm	mm	KN
CA550	41.4	16.7	19.81	19.05	7.16	34.5	45
CA550/45	41.4	15.34	19.81	19.05	7.16	34.5	45
CA550/55	41.4	17.78	19.81	18.05	7.16	34.5	45
CA555	41.4	16.7	12.7	18.05	7.16	29.3	56
CA557	41.4	17.8	19.81	23.1	7.32	37.1	64
CA520	42.01	17.21	24.52	19.05	7.16	41.5	47.5
C2060H	38.1	11.91	12.75	18	5.94	28.6	31.1




ISO chain No.	pitch P	roller dia d1(max)	width be- tween inner plates	plate depth h	pin dia d2	pin length b2	breaking load Q (min)
	mm	mm	b1(min) mm	mm	mm	mm	KN
CA395	38.4	10.38	19	17.2	6.92	31.4	36




Chain No.	Pitch	Roller dia. (max)	Width between inner plates (min)	Plate depth h (max)	Pin dia. d	Pin Length b	Plate thickness	J	K	N	M	Breaking load Q (min)
	mm	mm	mm	mm	(max)mm	(max)mm	mm	mm	mm	mm	mm	KN
3939	203	23.02	26.99	28.6	11.1	49	4	38	-	-	6.4	122.25
D3939-B4								38	102	7.1	7.1	
D3939-B21								38	-	-	7.1	
D3939-B23								-	92.1	10	-	
D3939-B43								38	92.1	10	7.1	
D3939-B24								-	102	7.1	-	
D3939-B40								-	102	10	-	
D3939-B44								38	102	11	7.1	

Chain No.	Pitch	Roller dia (max)	Width between inner plates (min)	Pin dia (max)	chain path depth (min)	Plate depth Plate depth (max)	Breaking load (min) daN	Simple weight approx
	mm	mm	mm	mm	mm		daN	Kg
81X	66.27	23	27	11.1	29.5	28.6	10670	3.9
81XH	66.27	23	27	11.1	32.3	31.4	15200	5.9
81XHH	66.27	23	27	11.1	32.3	31.4	15200	6.52

Leaf Chain - AL Series





CHAIN NO.	Lacing	pitch P		linkplate		pin		average ultimate strength Kgf	approx weight kg/m
				height	thickness	Dia	lengths		
		inch	mm	H	T	D	L		
AL422	2x2	1/2 "	12.7	10.2	1.5	3.96	8.05	1800	0.36
AL444	4x4						14.35	3600	0.69
AL466	6x6						20.7	5400	1.05
AL522	2x2	5/8 "	15.875	13	2	5.08	10.6	3100	0.6
AL523	2x3						12.65	3100	0.72
AL544	4x4						19	6200	1.15
AL566	6x6						27.4	9300	1.7
AL588	8x8						35.8	12400	2.26
AL622	2x2	3/4 "	19.05	15.5	2.35	5.95	12.4	4500	0.79
AL623	2x3						14.85	4500	0.98
AL644	4x4						22.3	9000	1.5
AL646	4x6						27.3	9000	1.9
AL666	6x6						32.25	13500	2.31
AL688	8x8						42.2	18000	3.08
AL822	2x2	1 "	25.4	20.4	3.1	7.94	15.65	7800	1.36
AL844	4x4						28.45	15600	4.01
AL866	6x6						41.25	23400	5.36
AL888	8x8						54.05	31200	6.7
AL1022	2x2	1-1/4 "	31.75	24.8	3.9	9.52	20.8	12000	2.36
AL1044	4x4						37.2	24000	4.63
AL1066	6x6						53.6	36000	6.9
AL1088	8x8						70	48000	9.35
AL1222	2x2	1-1/2 "	38.1	30	4.7	11.1	24.6	16000	3.4
AL1244	4x4						44.2	32000	6.65
AL1266	6x6						63.8	48000	9.92
AL1444	4x4	1-3/4 "	44.45	36.2	5.6	12.7	51.3	41000	10.34
AL1466	6x6						74.55	62000	15.16
AL1644	4x4	2 "	50.8	41.4	6.4	14.28	58.05	55000	12.98
AL1666	6x68						84.45	82000	19.41



CHAIN NO.	ISO/DIN	Lacing	pitch P		linkplate		pin		average ultimate strength	approx weight
					height	thickness	Dia	lengths		
			inch	mm	H	T	D	L		
BL422	LH0822	2x2	1/2 "	12.7	12	2	5.06	10.6	3000	0.69
BL423	LH0823	2x3						12.6	3000	0.77
BL434	LH0834	3x4						16.8	4500	1.07
BL444	LH0844	4x4						18.9	6000	1.19
BL446	LH0846	4x6						23.1	6000	1.48
BL466	LH0866	6x6						27.2	9000	1.8
BL523	LH1023	2x3	5/8 "	15.875	14.85	2.4	5.95	15.2	4500	1.13
BL534	LH1034	3x4						20.1	6800	1.56
BL544	LH1044	4x4						22.65	9000	1.78
BL546	LH1046	4x6						27.5	9000	2.22
BL566	LH1066	6x6						32.5	13500	2.74
BL623	LH1223	2x3	3/4 "	19.05	17.9	3.15	7.94	19.35	7000	1.82
BL634	LH1234	3x4						25.95	10500	2.52
BL644	LH1244	4x4						29.5	14000	2.87
BL646	LH1246	4x6						36	14000	3.57
BL666	LH1266	6x6						42.35	21000	4.27
BL822	LH1622	2x2	1 "	25.4	24	3.9	9.52	20.65	12000	2.3
BL823	LH1623	2x3						24.85	12000	3.15
BL834	LH1634	3x4						33.18	18000	4.37
BL844	LH1644	4x4						37.36	24000	4.98
BL846	LH1646	4x6						45.72	24000	6.2
BL866	LH1666	6x6						54.05	36000	7.5
BL1023	LH2023	2x3	1-1/4 "	31.75	30.1	4.7	11.1	29.7	16000	3.85
BL1034	LH2034	3x4						39.5	24000	5.84
BL1044	LH2044	4x4						44.4	32000	7.2
BL1046	LH2046	4x6						54.2	32000	8.24
BL1066	LH2066	6x6						64	48000	10.63
BL1222	LH2422	2x2	1-1/2 "	38.1	35	5.6	12.7	28.04	20500	4.83
BL1223	LH2423	2x3						33.9	20500	6.54
BL1234	LH2434	3x4						45.5	30750	9.1
BL1244	LH2444	4x4						51.3	41000	10.29
BL1246	LH2446	4x6						62.95	41000	12.01
BL1266	LH2466	6x6						74.57	61500	14.58

Roller Chain Attachments - Industrial







CHAIN NO.	pitch xwidth		Roller	Links				Pin			average ulti-
	P x W		Dia	height		thickness		Dia	lengths		mate
	inch	mm	R	H1	H2	T1	T2	D	DH	L	strength kgf
35	3/8× 3/16	9.525×4.78	5.08	7.6	9	1.2	1.2	3.59	9.52	14.52	1050
40	1/2×5/16	12.70×7.95	7.92	10.2	11.8	1.5	1.5	3.96	9.52	16.72	1850
41	1/2×1/4	12.70×6.35	7.77	8.5	9.7	1.2	1.2	3.58	9.52	15.4	1200
50	5/8×3/8	15.875×9.53	10.16	13	14.8	2	2	5.06	11.91	20.96	3100
60	3/4× 1/2	19.05×12.70	11.91	15.5	17.5	2.4	2.4	5.95	14.27	25.6	4400
80	1×5/8	25.40×15.88	15.88	20.4	23.9	3.1	3.1	7.94	19.05	33.48	8000
100	1-1/4×3/4	31.75×19.05	19.05	24.8	28.9	3.9	3.9	9.52	23.83	41.83	12000
120	1-1/2×1	38.10×25.40	22.23	30	35	4.7	4.7	11.1	28.6	51.25	17000
140	1-3/4×1	44.45×25.40	25.4	36.2	42	5.6	5.6	12.7	33.3	57.7	21500
160	2×1-1/4	50.80×31.75	28.58	41.4	48	6.4	6.4	14.28	38.1	67.35	27500







SunField LLC
Agricultural Parts

Premium Products for the Ag Industry







6) CHAIN NO.	pitch ×width		Roller	Links		Pin	Attachment								average ultimate strength
	P × W		Dia.	Height	Thickness	Dia.				A-1,K-1			SA-1,SK-1		
	inch	mm	R	H	T	D	N	O	C	X	Y	S	Z	kgf	
35	3/8× 3/16	9.525×4.78	5.08	9	1.2	3.59	7.9	2.6	3.3	6.35	9.5	14.3	9.5	14.6	1050
40	1/2× 5/16	12.70×7.95	7.92	11.8	1.5	3.96	9.5	3.6	8	12.7	17.8	12.7	17.4	1850	
50	5/8× 3/8	15.875×9.53	10.16	14.8	2	5.06	12.7	5.1	10.3	15.9	23.4	15.9	23.1	3100	
60	3/4× 1/2	19.05×12.70	11.91	17.5	2.4	5.95	15.9	5.1	11.9	19.1	28.2	18.3	26.9	4400	
80	1× 5/8	25.40×15.88	15.88	23.9	3.1	7.94	19.1	6.8	15.9	25.4	36.6	24.6	35.5	8000	
100	1-1/4×3/4	31.75×19.05	19.05	28.9	3.9	9.52	25.4	8.7	19.8	31.8	44.9	31.8	44	12000	

Roller Chain Attachments - Industrial CH Series





6) CHAIN NO.	pitch xwidth		Roller	Links		Pin	Attachment								average ultimate
	P x W		Dia.	Height	Thick- ness	Dia.				A-1,K-1			SA-1,SK-1		
	inch	mm	R	H	T	D	N	O	C	X	Y	S	Z	kgf	
35	3/8× 3/16	9.525×4.78	5.08	9	1.2	3.59	7.9	2.6	3.3	6.35	9.5	14.3	9.5	14.55	1050
40	1/2× 5/16	12.70×7.95	7.92	11.8	1.5	3.96	9.5	3.6		8	12.7	17.8	12.7	17.4	1850
50	5/8× 3/8	15.875×9.53	10.16	14.8	2	5.06	12.7	5.1		10.3	15.9	23.4	15.9	23.05	3100
60	3/4× 1/2	19.05×12.70	11.91	17.5	2.4	5.95	15.9	5.1		11.9	19.05	28.2	18.3	26.85	4400
80	1× 5/8	25.40×15.88	15.88	23.9	3.1	7.94	19.1	6.8		15.9	25.4	36.6	24.6	35.45	8000
100	1-1/4×3/4	31.75×19.05	19.05	28.9	3.9	9.52	25.4	8.7		19.8	31.75	44.9	31.8	44	12000



6) CHAIN NO.	pitch ×width		Roller	Links		Pin	Attachment								average ultimate
	P × W		Dia.	Height	Thick- ness	Dia.				A-1,K-1			SA-1,SK-1		
	inch	mm	R	H	T	D	N	O	C	X	Y	S	Z	kgf	
35	3/8× 3/16	9.525×4.78	5.08	9	1.2	3.59	7.9	2.6	3.3	6.35	9.5	14.3	9.5	14.55	1050
40	1/2× 5/16	12.70×7.95	7.92	11.8	1.5	3.96	9.5	3.6		8	12.7	17.8	12.7	17.4	1850
50	5/8× 3/8	15.875×9.53	10.16	14.8	2	5.06	12.7	5.1		10.3	15.9	23.4	15.9	23.05	3100
60	3/4× 1/2	19.05×12.70	11.91	17.5	2.4	5.95	15.9	5.1		11.9	19.05	28.2	18.3	26.85	4400
80	1× 5/8	25.40×15.88	15.88	23.9	3.1	7.94	19.1	6.8		15.9	25.4	36.6	24.6	35.45	8000
100	1-1/4×3/4	31.75×19.05	19.05	28.9	3.9	9.52	25.4	8.7		19.8	31.75	44.9	31.8	44	12000



Roller Chain - Nickel Plated





6) CHAIN NO.	pitch ×width		Poller	Links				Pin				average ultimate	approx weight kg/ m
	P × W		Dia.	height		thickness		dia	lengths				
	inch	mm	R	H1	H2	T	T2	D	F	G	G1	kgf	
25NP	1/4×1/8	6.35×3.18	3.3	5	5.8	0.75	0.75	2.3	3.8	4.8	-	450	0.14
35NP	3/8×3/16	9.525×4.78	5.08	7.6	9	1.2	1.2	3.59	5.8	7	7.6	1050	0.33
41NP	1/2×1/4	12.70×6.35	7.77	8.5	9.7	1.2	1.2	3.58	6.6	7.95	8.5	1200	0.41
40NP	1/2×5/16	12.70×7.95	7.92	10.2	11.8	1.5	1.5	3.96	8.2	9.35	10.1	1850	0.63
50NP	5/8×3/8	15.875×9.53	10.16	13	14.8	2	2	5.06	10.1	11.65	12.6	3100	1.01
60NP	3/4×1/2	19.05×12.70	11.91	15.5	17.5	2.4	2.4	5.95	12.5	14.15	15.4	4400	1.44
80NP	1×5/8	25.40×15.88	15.88	20.4	23.9	3.1	3.1	7.94	16.1	17.75	18.8	8000	2.4
100NP	1-1/4×3/4	31.75×19.05	19.05	24.8	28.9	3.9	3.9	9.52	20.1	-	23.1	12000	3.74
120NP	1-1/2×1	38.10×25.40	22.23	30	35	4.7	4.7	11.1	25.2	-	28.6	17000	6.18
140NP	1-3/4×1	44.45×25.40	25.4	36.2	42	5.6	5.6	12.7	27.3	-	31.5	21500	7.35
160NP	2×1-1/4	50.80×31.75	28.58	41.4	48	6.4	6.4	14.28	32.55	-	37.25	27500	9.42

Industrial Chain - Hollow Pin

6) CHAIN NO.	pitch ×width		Poller	Links				Pin					average ultimate	approx weight kg/m
	P × W		Dia.	height		thickness		dia		lengths				
	inch	mm	R	H1	H2	T	T2	D	d (min)	F	G	G1	kgf	
40HP	1/2×5/16	12.70×7.95	7.92	10.2	11.8	1.5	1.5	5.58	4	7.9	9.4	1300	0.5	0.14
50HP	5/8×3/8	15.875×9.53	10.16	13	14.8	2	2	7.01	5.12	9.9	11.65	2000	0.8	0.33
60HP	3/4×1/2	19.05×12.70	11.91	15.5	17.5	2.4	2.4	8.12	5.99	12.4	14.25	3050	1.18	0.41
80HP	1×5/8	25.40×15.88	15.87	20.8	24	3.1	3.1	11.27	8.02	16.3	17.75	5800	2.1	0.63



6) CHAIN NO.	pitch ×width		Poller	Links				Pin				average ultimate	approx weight kg/m
	P × W		Dia.	height		thickness		dia		lengths			
	inch	mm	R	H1	H2	T	T2	D	d (min)	F	G	kgf	
A2040HP	1×5/16	25.40×7.95	7.92	10.1	11.7	1.5	1.5	5.58	4	7.9	9.4	1300	0.43
A2050HP	1-1/4×3/8	31.75×9.53	10.16	12.6	14.6	2	2	7.01	5.12	9.9	11.65	2000	0.72



6) CHAIN NO. (ANSI)	pitch × width		poller	links				pin				average	approx
	p × w		dia	height		thick- ness		dia	lengths			ultimate	weight
	inch	m/m	R	H1	H2	T1	T2	D	F	G	G1	kgf	kg/m
25H	1/4 × 1/8	6.35 × 3.18	3.3	5	5.8	1	1	2.3	4.5	5.1	-	560	0.16
415H	1/2 × 3/16	12.70 × 4.76	7.77	10.2	11.8	1.5	1.5	3.96	6.4	7.8	-	1850	0.5
420H	1/2 × 3/16	12.70 × 4.76	7.77	10.2	11.8	1.8	1.8	3.96	8.1	8.95	-	1900	0.65
428H	1/2 × 3/16	12.70 × 7.94	8.5	11.2	12.2	1.8	1.8	4.44	8.9	10.2	-	2300	0.79
428SH	1/2 × 3/16	12.70 × 7.94	8.5	11.2	12.2	2	2	4.44	9.3	10.7	-	2400	0.85
50H	5/8 × 3/8	15.875 × 9.53	10.16	13	14.8	2.4	2.4	5.06	10.9	12.4	12.9	3300	1.12
520H	5/8 × 1/4	15.875 × 6.35	10.16	13	14.8	2.4	2.4	5.06	9.3	10.9	-	3300	1
525H	5/8 × 5/16	15.875 × 7.95	10.16	13	14.8	2.4	2.4	5.08	10	11.6	-	3300	1.05
60H	3/4 × 1/2	19.05 × 12.70	11.91	15.5	17.5	3.1	3.1	5.95	14.1	15.7	16.6	5300	1.81
80H	1 × 5/8	25.40 × 15.88	15.88	20.8	24	3.9	3.9	7.94	17.9	19.4	20.8	9200	2.95
100H	1-1/4 × 3/4	31.75 × 19.05	19.05	24.8	28.9	4.7	4.7	9.52	21.7	-	24.9	13500	4.45



Tractor Parts



Grille, Screen

International Tractor
766, 786, 886, 966, 986, 1066,
1086, 1466, 1468, 1486, 1566,
1568, 1586

Order: # 17412
OEM: 531233R2



Grille, Steel

International Tractor
766, 786, 886, 966, 986,
1066, 1086, 1466, 1468,
1486, 1566, 1568, 1586

Order: # 17065
OEM: 513233R1



Bushing

JD Tractors 4320, 4430,
4440

Order: # 11430
OEM: AR54481



Hammer Strap

JD: 7630, 7720, 7730, 7820, 7830, 7920,
7930, 8110, 8110T, 8120, 8120T, 8130,
8210, 8210T, 8220, 8220T, 8225R, 8230,
8230T, 8245R, 8270R, 8295R, 8295RT,
8310, 8310T, 8320, 8320R, 8320RT,
8320T, 8330, 8330T

Order: # 15403
OEM: R132544



Shaft Pin

JD: 4000 (ASN 250001),
4020 (ASN 250001), 4040,
4230, 4240, 4320, 4430, 4440

Order: # 11431
OEM: R46513



Shaft Pin

JD: 4000 (BSN 250000),
4010, 4020 (BSN 250000).
Industrial TGractor - 600

Order: # 11432
OEM: R33826



Shaft Pin

JD: 4000 (BSN 250000),
4010, 4020 (BSN 250000).
Industrial TGractor - 600

Order: # 11433
OEM: R33883



Ball

International - 766, 786, 886, 966,
986, 1066, 1086, 1466, 1468,
1486, 1566, 1586

Order: # 11001
OEM: 65320C3



Spindle Bottom, Forged

Allis-Chambers

Order: # 19110
OEM:



Spindle Bottom, Forged

John Deere Tractor 7800,
Cotton Picker 9930, Cotton
Stripper 7445

Order: # 19111
OEM:



Spindle Bottom, Forged

John Deere Tractor 4430

Order: # 19112
OEM:



Spindle Bottom, Forged

John Deere Tractor 4450

Order: # 19113
OEM:



Spindle Bottom

Case Tractor 2294

Order: # 19114
OEM:





Steering Arm LH / RH

International, Taper Mate
Replaces 531249TM &
531248TM

Order: # 19119
OEM:



Steering Arm, LH

International: Hydro 100, 186 -
766, 786, 866, 966, 1066,
1466, 1486, 1566, 1586, 3088,
3288, 3688

Order: # 19120
OEM: 531248R2



Steering Arm, RH

International: Hydro 100, 186 -
766, 786, 866, 966, 1066,
1466, 1486, 1566, 1586, 3088,
3288, 3688

Order: # 19121
OEM: 531249R2



Steering Arm, LH

JD: 2510, 2520, 3010, 3020,
4000, 4010, 4020, 4320

Order: # 19116
OEM: R47766



Steering Arm, RH

JD: 2510, 2520, 3010, 3020,
4000, 4010, 4020, 4320

Order: # 19115
OEM: R47765



Steering Arm, LH

JD: 4050, 4055, 4240, 4250,
4430, 4440, 4450, 4455

Order: # 19118
OEM: R61153



Steering Arm, RH

JD: 4050, 4055, 4240, 4250, 4430,
4440, 4450, 4455

Order: # 19117
OEM: R61152



Steering Arm, LH

Case 770, 870, 930, 970, 1030,
1070, 1175

Order: # 19122
OEM: A57322



Steering Arm, RH

Case 770, 870, 930, 970,
1030, 1070, 1175

Order: # 19123
OEM: A57323



Steering Arm, LH

Case 2090, 2094, 2290, 2294

Order: # 19125
OEM: A160125



Steering Arm, RH

Case 2090, 2094, 2290, 2294

Order: # 19124
OEM: A160124




Step

Case IH Tractors - 7110,
7120, 7130, 7140, 7150,
8910, 8920, 8930, 8940,
8950

Combines - 2144, 2166,
2188, 2344,
2366 (BSN 0256605),
2388 (BSN 0275338)

Order: # 12018
OEM:



Step Bracket

Case Case IH Combine,
Tractor

Order: # 12011
OEM:

Mission Statement

Supply high-quality products to the ag industry at competitive pricing with best-in-class customer services by strategically partnering with customers.

Focus on Consumer

We listen to our customers & always provide “a better than expected solution”.

Strategic Partnership

Partnering with our customers is a core value.

Innovation

Innovation is our “grow engine”. Teaming with our customers, we work together to bring new solutions to market..

Premium Quality

As a leading supplier, quality is ingrained in our company values & every product we make.

Best in Class Service

Empathy is key to service. There will always be challenges; when there are, we put ourselves in your shoes and ask, “how would I what this handled”?

Integrity

Honesty, transparency, and ethical practices are our cornerstones.

Partnership Benefits

Competitive pricing & reliable lead time

Container Direct & US Warehouse program offers best pricing & reliable lead time for cost effectiveness and efficient supply chain



Dedicated customer support & services

Local customer service team

Engineer & Quality support



Guaranteed Quality

Standard 1-year manufacturer warranty against material and workmanship



www.sunfieldllc.com

- **NEW PRODUCT DEVELOPMENT**
- **PROTOTYPING**
- **ENGINEERING**
- **STRATEGIC SOURCING**
- **CUSTOMIZED PACKAGING**
- **VENDOR MANAGEMENT**
- **INTERNATIONAL LOGISTICS**



3412 Bentley
Dallas, TX

903.348.0930 Mark
785.338.0314 Shane

info@sunfieldllc.com



SunField LLC
Agricultural Parts

Premium Products for the Ag Industry